



Tyson Product Specification  
Product-Brand: 56322-0795  
Brand: CO-BRAND

Status - Official  
Version 1  
Customer View

Official Date 1/19/2022  
Issue Date 12/16/2021  
Page 1

## Customer View

**Spec Name:** Uncooked, Chicken Drumsticks and Thighs with Back Portion

**SAP Short Name:** TYS FZ CKN DRMS AND TH WITH BAC PTN

### Cross References

System ID	System Name	Equivalent
SAPMM	SAP Material Master	056322-0795
SAP4MM	SAP S4 Material Master	10000056322

### Label Claims

MADE IN USA

### GTINs

Source	GTIN UOM	GTIN	Quantity
TU	CS	90031400096129	1

### Description

Uncooked, Chicken Drumsticks and Thighs with Back Portion

### Ingredient Statement

Chicken Drumsticks and Thighs with Back Portion CONTAINING: Up to 11% of a solution of water, seasoning (salt, sodium phosphates, monosodium glutamate, maltodextrin, onion powder, natural flavorings, hydrolyzed corn protein).

### Country of Origin Labeling

021 - HTCHD, RAISD, HRVSTD USA

### Method of Packaging

1. Product is packed by count into a poly bag. Eight (8) bags are placed into a poly liner.

NOTE: Liner must be completely sealed and without holes or tears.

2. Liner is placed into master case.

3. The master case is weighed, sealed, labeled, date coded and palletized. Product dating should include a pack date and Tyson Julian date code, which should reference the same production day.

NOTE: A pallet pad (OH# 6700) is placed on the pallet before product is palletized.

\*ALTERNATE METHOD OF PACKAGING\*

### PAC-MAC BAGGER

1. Sixteen (16) pieces are placed into a poly bag. The bag is automatically machined sealed.

2. Eight (8) sealed poly bags are placed into a poly lined master case.

NOTE: Poly bags must be completely sealed and without holes or tears.

### PALLET STANDARDS:

1. Hard wood, 4 way, 48" x 40" pallet.

2. All top and bottom boards must be securely attached to all stringers. No missing top boards.

3. Must have at least four (4) boards on the bottom, one on each end and 2 or 3 in the middle.

4. No double stringers, patched boards or metal repair plates.

5. All stringers to be solid, not broken and/or have cracks visible from three (3) sides. Weathering cracks that are not continuous and not visible from three (3) sides are acceptable.

6. Pallets should be free of debris.

\*\*\*

### Packaging Materials

#### Master

PM 99035366 PM#35366 EXPORT LEAK RESISTANT BODY HSU - PAW/LQ

### Cross References



Tyson Product Specification  
 Product-Brand: 56322-0795  
 Brand: CO-BRAND

Status - Official  
 Version 1  
 Customer View

Official Date 1/19/2022  
 Issue Date 12/16/2021  
 Page 2

System ID	System Name	Equivalent
SAPMM	SAP Material Master	99035366
SAP4MM	SAP S4 Material Master	99035366

Quantity: 1 ea  
 Outside Length: 22.75 in  
 Cube: 1.095 cf

Tare Weight: 407 g  
 Outside Width: 15.375 in

Net Tare Weight: 407 g  
 Outside Depth: 5.375 in

Alternate for Packaging Material 99035366  
 PM 99035475 PM#35475 EXPORT LEAK RESISTANT BODY MSU- PAW/LQ

Quantity: 1 ea  
 Outside Length: 22.5 in  
 Cube: 1.04 cf

Tare Weight: 367 g  
 Outside Width: 15.25 in

Net Tare Weight: 367 g  
 Outside Depth: 5.375 in

**Inner**

PM 99018394 PM# 18394 Bag, CVP,33.5x25,3.25MIL,PPE/HD/MPE,Clear

**Cross References**

System ID	System Name	Equivalent
SAPMM	SAP Material Master	99018394
SAP4MM	SAP S4 Material Master	99018394

Quantity: 1 ea  
 Color: Clear  
 Gauge: 0.00325 in

Tare Weight: 84.84 g  
 Length: 25 in

Net Tare Weight: 84.84 g  
 Width: 33.5 in

Alternate for Packaging Material 99018394  
 PM 99047997 PM#47997 LINER,POLY,36x25,1.5MIL,LLDPE,Non-Printed,Non-Barrier,Clear

Quantity: 1 ea  
 Color: Clear  
 Gauge: 0.0015 in

Tare Weight: 42 g  
 Length: 25 in

Net Tare Weight: 42 g  
 Width: 36 in

PM 99034591 PM# 34591 BAG,CVP,34.5X25,4.25MIL,pPE/HD/pPE,NON-PRINTED,BARRIER,BLUE

Quantity: 1 ea  
 Color: Blue  
 Gauge: 0.00425 in

Tare Weight: 110.5424 g  
 Length: 25 in

Net Tare Weight: 110.5424 g  
 Width: 34.5 in

PM 99033177 PM#33177 LINER,POLY,35x25,1.5MIL,LLDPE,Non-Printed,Non-Barrier,Clear

Quantity: 1 ea  
 Color: Clear  
 Gauge: 0.0015 in

Tare Weight: 2.72 g  
 Length: 25 in

Net Tare Weight: 2.72 g  
 Width: 35 in

PM 99027619 PM# 27619 BAG,CVP,34.5X25,3.25MIL,pPE/HD/mPE,NON-PRINTED,BARRIER,CLEAR

Quantity: 1 ea  
 Color: Clear  
 Gauge: 0.00325 in

Tare Weight: 87.3 g  
 Length: 25 in

Net Tare Weight: 87.3 g  
 Width: 34.5 in

PM 99032588 PM# 32588 FILM,CVP,27.75" WW,pPE/HD/mPE,3.75 mil,Barrier,Non-Printed,Clear

**Cross References**

System ID	System Name	Equivalent
SAPMM	SAP Material Master	99032588
SAP4MM	SAP S4 Material Master	99032588



Tyson Product Specification  
 Product-Brand: 56322-0795  
 Brand: CO-BRAND

Status - Official  
 Version 1  
 Customer View

Official Date 1/19/2022  
 Issue Date 12/16/2021  
 Page 3

Quantity: 8 imp  
 Color: Clear

Tare Weight: 18.9 g  
 Web Width: 27.75 in

Net Tare Weight: 151.2 g  
 Gauge: 0.00375 in

Alternate for Packaging Material 99032588

PM 99007704 BAG,POLY,11.125X18,1MIL,LDPE,WICKET,Non-Printed,Non-Barrier,Clear

Quantity: 8 ea  
 Color: Clear  
 Gauge: 0.001 in

Tare Weight: 6.427 g  
 Length: 18 in

Net Tare Weight: 51.416 g  
 Width: 11.125 in

PM 99027619 PM# 27619 BAG,CVP,34.5X25,3.25MIL,pPE/HD/mPE,NON-PRINTED,BARRIER,CLEAR

Quantity: 8 ea  
 Color: Clear  
 Gauge: 0.00325 in

Tare Weight: 87.3 g  
 Length: 25 in

Net Tare Weight: 698.4 g  
 Width: 34.5 in

**Outer**

PM 99035478 PM#35478 EXPORT PLAIN MSU - PAW/LQ COVER

**Cross References**

System ID	System Name	Equivalent
SAPMM	SAP Material Master	99035478
SAP4MM	SAP S4 Material Master	99035478

Quantity: 1 ea  
 Outside Length: 23.5625 in  
 Cube: 1.107 cf

Tare Weight: 355 g  
 Outside Width: 15.75 in

Net Tare Weight: 355 g  
 Outside Depth: 5.1875 in

Alternate for Packaging Material 99035478

PM 99035367 PM#35367 TYSON EXPORT HSU - PAW/LQ COVER

Quantity: 1 ea  
 Outside Length: 23.875 in  
 Cube: 1.12 cf

Tare Weight: 406 g  
 Outside Width: 15.75 in

Net Tare Weight: 406 g  
 Outside Depth: 5.1875 in

PM 99012360 PM#12360 Corrugated, 5" EXPORT COVER

Quantity: 1 ea  
 Color: Kraft  
 Inside Depth: 5 in  
 Outside Depth: 5.1875 in

Tare Weight: 402.7 g  
 Inside Length: 22.9375 in  
 Outside Length: 23.875 in  
 Cube: 1.129 cf

Net Tare Weight: 402.7 g  
 Inside Width: 15.4375 in  
 Outside Width: 15.75 in

**Label**

LL 11102248 3X12.375 TYSON DUAL SMALL LOGO SLAP 500RL

**Cross References**

System ID	System Name	Equivalent
SAPMM	SAP Material Master	11102248
SAP4MM	SAP S4 Material Master	11102248

Quantity: 1 ea

Tare Weight: 1 µgq

Net Tare Weight: 1 µgq

LL 11729541 TYS FZ CKN DRMS & TH WITH BAC PTN (056322-0795 Master)

**Cross References**

System ID	System Name	Equivalent
SAP4MM	SAP S4 Material Master	11729541
SAPMM	SAP Material Master	11729541



Tyson Product Specification  
 Product-Brand: 56322-0795  
 Brand: CO-BRAND

Status - Official  
 Version 1  
 Customer View

Official Date 1/19/2022  
 Issue Date 12/16/2021  
 Page 4

Quantity: 1 ea

Tare Weight: 1 µgq

Net Tare Weight: 1 µgq

**Weights**

Master Case (US)

Target Net Weight: 50.37 lb    Tare Weight: 2.2003 lb    Gross Weight: 52.5703 lb  
 Min Net Weight: 45.86 LB    Max Net Weight: 54.99 LB

Master Case (Metric)

Target Net Weight: 22.8478 kg    Tare Weight: 0.9981 kg    Gross Weight: 23.8459 kg  
 Min Net Weight: 20.8021 KG    Max Net Weight: 24.9435 KG

Note: Tare weights are a guide, each plant should determine its own tares.

Weight Indicator: CatchWeight

**Pallet Arrangement**

Cases per Pallet: 40    Cases per Tier (TI): 5    Tiers per Pallet (HI): 8

Note: Follow Pallet Pattern image for pallet arrangement. If no pallet pattern image exists, all boxes shall be column stacked (corner to corner) on the bottom 3 layers of the pallet and cross-stacked (interlocked) on the remaining layers. This does not apply to pallets being stacked with divider slats for blast freezing or pallets with a column stack designed for all tiers.

**PPD (Pallet)**

Pallet Spec: 4 way GMA White Wood Pallet / 48 x 40 x 5 / 40 lbs / .248 lbs

Double Stack: No

**Storage Requirements**

Storage Method: Frozen

Shelf Life: 365 DAY

Minimum Storage Temperature: N/A Maximum Storage Temperature: 0 °F

Date of Pack counts as Day Zero of Shelf Life.

**Code Date Format**

Advanced Date Code (Weeks)    0

Maximum Shelf Life Extension    0    \*\*\* Not for Printing on Labels/Packaging

Minimum Remaining Shelf Life (Days) 30

Ship By Days    335

**Handling Statement**

Handling Statement

	Statement
Safe Handling Instructions	<p><b>SAFE HANDLING INSTRUCTIONS</b>            This product was prepared from inspected and passed meat and/or poultry. Some food products may contain bacteria that could cause illness if the product is mishandled or cooked improperly. For your protection, follow these safe handling instructions.</p> <ul style="list-style-type: none"> <li>. Keep refrigerated or frozen.</li> <li>Thaw in refrigerator or microwave.</li> <li>. Keep raw meat and poultry separate from other foods.</li> <li>Wash working surfaces (including cutting boards), utensils, and hands after touching raw meat or poultry.</li> <li>. Cook thoroughly.</li> <li>. Keep hot foods hot. Refrigerate leftovers immediately or discard.</li> </ul>

**Nutrition Panel**



Tyson Product Specification  
Product-Brand: 56322-0795  
Brand: CO-BRAND

Status - Official  
Version 1  
Customer View

Official Date 1/19/2022  
Issue Date 12/16/2021  
Page 5

Facts Panel 01 - Import Information  
Uncooked, Chicken Drumsticks and Thighs with Back Portion

<b>Nutrition Facts</b>	
Varied Servings Per Container	
<b>Serving Size</b>	<b>4 OZ (112g)</b>
<b>Amount Per Serving</b>	
<b>Calories</b>	<b>200</b>
<b>% Daily Value *</b>	
<b>Total Fat</b> 15g	<b>19%</b>
Saturated Fat 4.5g	<b>23%</b>
Trans Fat 0g	
Polyunsaturated Fat 3.5g	
Monounsaturated Fat 6g	
<b>Cholesterol</b> 85mg	<b>28%</b>
<b>Sodium</b> 350mg	<b>15%</b>
<b>Total Carbohydrate</b> 0g	<b>0%</b>
Dietary Fiber 0g	<b>0%</b>
Total Sugars 0g	
Includes 0g Added Sugars	<b>0%</b>
<b>Protein</b> 16g	<b>32%</b>
Vitamin D 0.1mcg	0%
Calcium 0mg	0%
Iron 0.7mg	4%
Potassium 210mg	4%
<small>*The % Daily Value tells you how much a nutrient in a serving of food contributes to a daily diet. 2,000 calories a day is used for general nutrition advice.</small>	

**Cooking Instructions**

PREPARATION: Appliances vary, adjust accordingly.

Uncooked: For safety, product must be cooked to an internal temperature of 165°F as measured by a thermometer.