



PRODUCT: Chile Powder, New Mexican, Mild Red

NOTICE: All data herein has been provided to Savory Spice Shop, LLC directly by our Supplier. Only proprietary and identifying Supplier information has been redacted. We make no warranty, either expressed or implied in the complete accuracy of the information listed herein. The data in these analysis and/or product specification sheets is offered solely for your verification and consideration. It is the responsibility of the buyer to provide themselves with up to date analysis or information for any products purchased through Savory Spice.

This information is confidential and proprietary, and disclosure is prohibited without written authorization from Savory Spice Shop, LLC. 1805 E. 58th Ave – Unit C, Denver, CO. 80216





IEH
**Laboratories &
 Consulting Group**

CERTIFICATE OF ANALYSIS



IEH Laboratories & Consulting Group

IEH-Warren Analytical Laboratory
 650 O St.
 Greeley, CO 80631
 Phone:970-475-0252 Fax:970-475-0280
 www.iehinc.com / www.warrenlab.com

TRADE SECRET / CONFIDENTIAL COMMERCIAL INFORMATION

WO: 2103745 Samples Received: 4/30/2021 Report Date: 5/11/2021 Report No: WAL-156494

Sample ID Description / Method / Result

21MR-2103745-11248	Powder Spice Chimayo Chile, Mild Lot #032111006 4/24/2021	Collection Date: 4/24/2021	Analysis Date: 4/30/2021
APC (Spiral)	560,000 CFU/g	ECC (Spread)	<10 CFU/g
Salmonella spp. (25g)	Negative	Scoville Heat by HPLC	2,100 SHU
Staph aureus (BPA)	<10 CFU/g	Staph aureus (Petrifilm)	<100 CFU/g
TCC (Spread)	290 CFU/g	YM (DRBC)	300 CFU/g

Test Method: ,APC (Spiral) = Aerobic Plate Count MB 075 (Spiral),ECC (Spread) = E. coli Count MB072.03 (CMMEF, 4 th Ed., Ch. 8)(Spread Plate),Salmonella spp. (25g) = Salmonella spp. (25g) MB217.01 (AOAC Cert # 100701)(PCR),Scoville Heat by HPLC = Scoville Heat by HPLC ASTA,Staph aureus (BPA) = Staphylococcus aureus MB 095 (Spread),Staph aureus (Petrifilm) = Staphylococcus aureus MB 443 (Petrifilm),TCC (Spread) = Total Coliform Count MB072.03 (CMMEF, 4 th Ed., Ch. 8)(Spread Plate),YM (DRBC) = Yeast and Mold Count MB074.01 (FDA BAM, Ch 18)(Plate)

Note Sample also tested by JL Analytical Lab for SHU.

UNLESS OTHERWISE NOTED, ALL SAMPLES WERE RECEIVED IN ACCEPTABLE CONDITION. THE RESULT(S) IN THIS REPORT RELATE ONLY TO THE PORTION OF THE SAMPLE(S) TESTED. THIS REPORT DOES NOT CONSTITUTE A RELEASE OF PRODUCT FOR CONSUMPTION. THIS REPORT SHALL NOT BE REPRODUCED EXCEPT IN FULL, WITHOUT WRITTEN APPROVAL OF THE LABORATORY. THIS DOCUMENT CONTAINS CONFIDENTIAL COMMERCIAL INFORMATION PURSUANT TO 5 U.S.C. SEC. 552(b)(4).

Authorized Analyst: Elizabeth Forsyth