

SAFETY DATA SHEET

1. Product and company identification

Product Name Stainless Steel Cleaner

UN/ID No. DOT (US): Not Regulated

Recommended use of the chemical and restrictions on use

Recommended Use Stainless Steel Cleaner for Industrial Cleaning

Supplier: Butler Chemicals, Inc.

3070 E. Ceena CT. Anaheim, CA. 92806

Print date: January 9, 2019

Responsible name: Kenny Bailey

In case of emergency: HEALTH EMERGENCIES — SPILL EMERGENCIES

CALL INFOTRAC 1(800) 535-5053

Product type: Mixture

2. Hazards identification

Appearance:YellowPhysical State:LiquidOdor:Banana Fragrance

Classification

Aspiration Hazard Category 1

Signal Word: Danger

Pictograms: Label GHS08

Hazard Risk

Physico-



Statement

phrases H304: May be fatal if swallowed and enters airways

chemical and environmental hazards and effects: None

Safety phrases P301+P310: If swallowed: Immediately call a poison center or doctor/physician

P331: Do not induce vomiting

P405: Store Locked up

<u>Precautionary Statements – Preventions</u>

Wash face, hands and any exposed skin thoroughly after handling

Do not eat, drink or smoke when using this product

Use only outdoors or in a well-ventilated area

Do not breathe dust/fume/gas/mist/vapors/spray

Wear protective gloves/protective clothing/eye protection/face protection

Keep out of reach of children

Precautionary Statements - Response

Immediately call A POISON CENTER or doctor/physician

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do so.

Continue rinsing immediately call a POISON CONTROL or doctor/physician

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower

Wash contaminated clothing before reuse

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Immediately call a POISON CENTER or doctor/physician

IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician

Rinse mouth

Do not induce vomiting

Precautionary Statements - Storage

Store locked up

Store in a well-ventilated place. Keep container tightly closed

Precautionary Statements – Disposal

Dispose of contents/container to an approved waste disposal plant

Other Hazards

Wear gloves impervious to this material

3. Composition/information on ingredients

 Name
 CAS number
 %

 Mineral Oil
 8042-47-5
 **

** Optional

4. First aid measures

Eye contact: Flush eyes thoroughly with water for several minutes. Obtain medical attention if

discomfort persists.

Skin contact:Wash with water. Remove contaminated clothing and footwearInhalation:Get person out of contaminated area to fresh air. Seek medical adviceIngestion:No not induce vomiting. Obtain medical attention immediately

Note to physician Treat symptomatically

5. Fire-fighting measures

Flash point: >93.4°C (200°F) PMCC, ASTM D93

Flammability of the product:

Extinguishing media:

Suitable: Dry Chemical, Carbon Dioxide (in case of small fires), Water Fog, Foam, Sand or

Earth

Flammable

Non suitable: Do not use water jet. Oil will float on water and can spread any fire

Special fire fighting procedures Do not direct a solid steam of water or foam into burning material; this may cause

spattering and spread the fire. If a rail or tank truck is involved in a fire, ISOLATE for 800 meters (0.5 mile) in all directions. Shut off fuel to fire if it is possible to do so without hazard. If this is impossible, withdraw from the area and let the fire burn out under controlled conditions. Withdraw immediately in case of rising sound

form venting safety device or any discoloration of tank due to fire.

Unusual fire and explosion hazards: Following products may be produced during a fire: Oxides of carbon

Special protective equipment for fire-fighters: Self-contained breathing apparatus

6. Accidental release measures

Personal precautions: Wear suitable protective equipment

Environmental precautions: Avoid runoff to sewers or waterways. Dike area of spill to prevent spreading and

pump liquid to salvage tank. Waste: avoid washing into watercourses. Use methods

consistent with local regulations or incinerate.

Methods for cleaning up

Dike to contain spill: Absorb on inert material such as sand, earth, vermiculite. Stop the leak if it can be done without risk. Floor may be slippery, use care to avoid falling.

7. Handling and storage

Handling: Do not handle at temperatures $>+40^{\circ}$ C, unless wearing appropriate protective

equipment

Storage Keep away from heat, sparks and flame. Do not store at temperatures: $>+40^{\circ}$

without proper safety review of storage equipment. Store protected from light

Ventilation General (mechanical) room ventilation is expected to be satisfactory for use at

room temperature.

8. Exposure controls/personal protection

Consult local authorities for acceptable exposure limits.

Engineering Controls Apply technical measures to comply with the occupational exposure limits.

Local exhaust ventilation recommended. Eye wash stations. Showers.

Mineral Oil Mist If used in a way that generates a "mist" observe the limits for Mineral Oil Mist.

TWA (mist), Value: 5mg/m3 ACGIH STEL (mist), ACHIH Value: 10mg/m3

Individual-protection measures, such as personal protective equipment

Eye/Face Protection	Face shield or chemical splash goggles in case of splashing		
Hand Protection/Protective Gloves	Wear oil resistant gloves		
Respiratory Protection	None expected to be needed. If used in a way that generates a vapor/mist, wear an		
	organic vapor respirator.		
Skin Protection	Wear protective clothing, such as long sleeves to minimize skin contact		
Environmental Exposure Controls	Store in a second containment to catch leakages		

9. Physical and chemical properties

Physical state	Liquid		
Flash Point	>93.4°C (200°F) Method PMCC, ASTM D93		
Color	Yellow		
рН	N/A		
Boiling/condensation point	>230°C		
Melting/freezing point	N/A		
Bulk Density	Not Available		
Specific gravity (H20=1)	<1		
Solubility in water	Insoluble		

10. Stability reactivity

Stability	Stable
Hazardous polymerization	Will not occur
Conditions/Materials to avoid	Extreme temperature and direct sunlight/ultraviolet light and strong oxidizing agents.
Hazardous combustion products	Burning can produce the following combustion products: Oxides of carbon and soot

11. Toxicological information

General: No evidence of harmful effects from available information

12. Ecological information

Environmental effects:

This product is stable in water, and can be mechanically separated from water. The water may be suitable for disposal in a biological waste treatment plant.

13. Disposal considerations

Waste disposal:

The generation of waste should be avoided or minimized wherever possible. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe way. Dispose of surplus and non-recyclable products via a license waste contactor. Disposal of this product, solutions and any by products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Avoid dispersal of spilled material and runoff and contract with soil, waterways, drains and sewers.

Refer to Section 7: HANDLING AND STORAGE and Section 8: EXPOSUSURE CONTROLS/PERSONAL PROTECTION for additional handling information and protection of employees.

14. Transport information

USA - This product is not regulated by DOT, Freight Description Road: 65 Petroleum Oil, N.O.I.N.

15. Regulatory information

Components present in this product at a level which could require reporting under the statue are: ****None**** EPA Hazard Categories (SARA 311,312): None

United States The ingredients of this product are on the TSCA inventory

California Proposition 65:

This product does not contain any Proposition 65 chemicals.

16. Other information

HMIS	Health Hazards	Flammability	Reactivity	Personal Protection
	1	2.	0	R

Disclaimer

The information provided in the Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and in not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet